

We offer you more energy solutions

Camelion has provided energy solutions to customers worldwide for over 20 years.

Our mission is to satisfy our customers with qualified products, customer-friendly pricing and detailed services. We are dedicated to providing you and your family with all the energy solutions you need, don't hesitate to give us a try.



CHINA

Camelion Battery Co., Ltd
Unit 705, Cyber Times Tower A,
Tianan Cyber Park, Shenzhen,
Guangdong 518041,
China

Camelion Enterprises Ltd.
Flat A, 8/F., MG Tower,
133 Hoi Bun Road, Kwun Tong, Kln.,
Hong Kong

NORTH AMERICA

Camelion North America Inc.
2572 Daniel-Johnson Blvd.
Suite 206-207
Laval, QC, H7T 2R3, Canada
www.camelionna.com

Camelion Holding Inc.
Batteries and Things Inc.
365 24th Street, LaSalle, IL 61301

LATIN AMERICA

Camelion Battery Co., Inc.
5000 SW 75th Avenue, Suit 236
Miami, Florida 33155

EUROPE

Camelion Batterien GmbH.
Bergiusstr. 53-59, D - 12057 Berlin,
Germany

For more information about Camelion, please visit www.camelionbattery.com

Camelion is a registered trademark of Camelion Battery Co., Ltd.
All other brand names are trademarks or registered trademarks of the respective companies.
Copyright ©2020 Camelion Battery Co., Ltd. All rights reserved.




www.camelionbattery.com

CA-PS-2020

Product Catalogue 2020

Power Supplies




Camelion®
More Energy Solutions

www.camelionbattery.com



More Energy Solutions



**Try us out
today!**

- **Mobile Powers**
- **Wireless Charger Mobile Powers**
- **Wireless Chargers**
- **Mobile Power with Fan**
- **Wall Chargers**
- **Car Chargers**
- **USB Cables**

CONTENT

Mobile Powers

PS712	4
PS713	4
PS709	5
PS71	5
PS691	6
PS692	6
PS711	7
PS661	7

Wireless Charger Mobile Powers

PSW50	8
PSW100	8

Wireless Chargers

WLC-007	9
---------	---

Mobile Power with Fan

PSF38	10
-------	----

Wall Chargers

AD581	11
AD582	11
AD585	12
AD585C	12
AD583	13
AD594	13

Car Chargers

DD802	14
DD811	14
DD823A	15
DD812	15
DD822C	16
DD822F	16

USB Cables

CDC011	17
CDC021	17
CDC013	17
CDC023	17
CDC019	17
CDC020	17
CDC015	17
CDC016	17

USB Cable + Car Charger

18

> Mobile Powers

Camelion Portable Chargers offer you a fast, easy-to-use and reliable power source for your mobile devices. Powered by high-quality battery cells, we can ensure a long-lasting product that also complies with international safety standards.

PS712



PS712-100HCB

Main Features

- Compatible with most mobile devices
- Micro USB and Type-C input
- USB and Type-C output
- Overcharge, over-discharge, over-current, short-circuit protection
- Auto On/Off
- Digital power Indicator

Specifications

Battery: 3.7V 10000mAh 37Wh, Li-polymer battery
Input: Micro USB: 5V $\pm$ 1.5A Type-C: 5V $\pm$ 2.4A
Output: USB-A: 5V $\pm$ 2.4A Type-C: 5V $\pm$ 3A

Packaging

	Weight (g)	278
	Dimensions L x W x H (cm)	11 x 21.5 x 1.9
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 9.3 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	13.34
	Gross Weight (kg)	13.96
	Dimensions L x W x H (cm)	40.5 x 28.5 x 26.5
	Volume (cbm)	0.0305

PS713



PS713-100HCB

Main Features

- Supports Quick Charge
- USB and Type-C output
- Micro USB and Type-C charging
- Overcharge, over-discharge, over-current, short-circuit protection
- LED power indicator
- Ergonomic design, comfortable in hand

Specifications

Battery: 3.7V, 10000mAh, 37Wh, Rechargeable Li-polymer Battery
Input: Micro USB: 5V/2A 9V/2A 12V/1.5A
Type-C: 5V/2.4A 9V/2A 12V/1.5A
Output: USB A: 5V/3A 9V/2A 12V/1.5A QC3.0
Type-C: 5V/3A 9V/2A 12V/1.5A PD2.0

Packaging

	Weight (g)	248
	Dimensions L x W x H (cm)	11 x 21.5 x 1.9
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 13.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	11.9
	Gross Weight (kg)	12.52
	Dimensions L x W x H (cm)	40.5 x 28.5 x 26.5
	Volume (cbm)	0.0305

PS709



PS709-80HCB

CE CB

Main Features

- Compatible with most mobile devices
- Dual USB output
- Overcharge, over-discharge, over-current, short-circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 8000mAh 29.6Wh, Li-polymer battery

Input: 5V --- 2A

Output: 5V --- 2.1A (Max total)
5V --- 2.1A (Each USB)

Packaging

Inner Carton	Weight (g)	228
	Dimensions L x W x H (cm)	11 x 21.5 x 2
	Packs / Inner carton	12
	Net Weight (kg)	/
Outer Carton	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	39.5 x 14 x 13
	Packs / Carton	48
	Net Weight (kg)	11.76
Outer Carton	Gross Weight (kg)	12.8
	Dimensions L x W x H (cm)	41.2 x 30 x 29
	Volume (cbm)	0.0358

PS710



PS710-100HCB

CE CB

Main Features

- Dual USB output port
- Overcharge, over-discharge, over-current, short-circuit protection
- LED power indicator
- Ergonomic design, comfortable in hand

Specifications

Battery: 3.7V, 10000mAh, 37Wh, Rechargeable Li-polymer Battery

Input: 5V --- 2A

Output: 5V --- 2.1A (Max total)
5V --- 2.1A (Each USB)

Packaging

Inner Carton	Weight (g)	268
	Dimensions L x W x H (cm)	11 x 21.5 x 1.9
	Packs / Inner carton	12
	Net Weight (kg)	/
Outer Carton	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 13.5 x 12.2
	Packs / Carton	48
	Net Weight (kg)	12.86
Outer Carton	Gross Weight (kg)	13.48
	Dimensions L x W x H (cm)	40.5 x 28.5 x 26.5
	Volume (cbm)	0.0305

PS691



PS691-50HCB



Main Features

- Compatible with most mobile devices
- Light weight and compact
- Overcharge, over-discharge, over-current, short-circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 5000mAh 18.5Wh, Li-polymer Battery

Input: 5V $\equiv$ 2A

Output: 5V $\equiv$ 2.1A

Packaging

	Weight (g)	152
	Dimensions L x W x H (cm)	11 x 21.5 x 1.6
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 11.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	7.3
	Gross Weight (kg)	7.92
	Dimensions L x W x H (cm)	40.5 x 24.5 x 26.5
	Volume (cbm)	0.0263

PS692



PS692-100HCB



Main Features

- Compatible with most mobile devices
- Dual USB output
- Overcharge, over-discharge, over-current, short-circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 10000mAh 37Wh, Li-polymer battery

Input: 5V $\equiv$ 2A

Output: 5V $\equiv$ 2.1A(Total)

output 1: 5V $\equiv$ 1A

Output 2: 5V $\equiv$ 2.1A

Packaging

	Weight (g)	252
	Dimensions L x W x H (cm)	11 x 21.5 x 1.9
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 13.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	12.01
	Gross Weight (kg)	12.63
	Dimensions L x W x H (cm)	40.5 x 28.5 x 26.5
	Volume (cbm)	0.0306

PS711



PS711-40HCB

CE CB

Main Features

- Compatible with most mobile devices
- Lightweight and compact
- Overcharge, over-discharge, over-current, short-circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 4000mAh 14.8Wh, Li-polymer Battery

Input: 5V $\equiv$ 1A

Output: 5V $\equiv$ 1A

Packaging

	Weight (g)	101
	Dimensions L x W x H (cm)	11 x 21.5 x 1.2
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 9.3 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	6.62
	Gross Weight (kg)	7.24
	Dimensions L x W x H (cm)	40.5 x 20.5 x 26.5
	Volume (cbm)	0.0220

PS661



PS661-104DB

CE FCC

Main Features

- Compatible with most mobile devices
- Dual USB output
- Overcharge, over-discharge, over-current, short-circuit protection
- Auto On/Off
- LED power Indicator

Specifications

Battery: 3.7V 10400mAh 38.48Wh, Li-ion Battery

Input: 5V $\equiv$ 2A **Output:** 5V $\equiv$ 3.1A Max

Output 1: 5V $\equiv$ 1A **Output 2:** 5V $\equiv$ 2.4A

Packaging

	Weight (g)	270
	Dimensions L x W x H (cm)	13 x 23 x 3.5
Inner Carton	Packs / Inner carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	48
	Net Weight (kg)	13
	Gross Weight (kg)	14
	Dimensions L x W x H (cm)	55 x 44 x 25.5
	Volume (cbm)	0.0617

> Wireless Charger Mobile Powers

With multiple built-in protections and highly-efficient conversion circuits, Camelion Wireless Charger Mobile Power* offer a charging experience like no other. These devices work as both a mobile power* and a wireless charger, and are compliant with WPC standards.

PSW50



PSW50-HCB

CE CB

Main Features

- 2-in-1 Wireless Charger and Mobile power
- 5000mAh Mobile Power
- Qi Compatible
- Compatible with all USB powered devices
- Easy-to-read power and wireless charging work indicator
- Non-slip

Specifications

Battery: 3.7V 5000mAh 18.5Wh, Li-polymer battery

Input: Micro USB: 5V $\overline{\text{---}}$ 2A

Type-C: 5V $\overline{\text{---}}$ 2A

Output: USB: 5V $\overline{\text{---}}$ 2.1A


Wireless Charging: 5W Max

USB + Wireless Charging: 10W Max

Packaging

	Weight (g)	195
	Dimensions L x W x H (cm)	11 x 21.5 x 1.5
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	40.3 x 10.4 x 13.5
Outer Carton	Packs / Carton	48
	Net Weight (kg)	10
	Gross Weight (kg)	10.5
	Dimensions L x W x H (cm)	41.5 x 23.1 x 29.9
	Volume (cbm)	0.0286

PSW100



PSW100-HCB

CE CB

Main Features

- 2-in-1 Wireless Charger and Mobile power
- 10000mAh Mobile Power
- Qi Compatible
- Compatible with all USB powered devices
- Easy-to-read power and wireless charging work indicator
- Non-slip

Specifications

Battery: 3.7V 10000mAh 37Wh, Li-polymer battery

Input: Micro port: 5V $\overline{\text{---}}$ 2A

Type-C port: 5V $\overline{\text{---}}$ 2A

Output: USB port: 5V $\overline{\text{---}}$ 2.1A

Wireless Charging: 5W max

USB port + Wireless Charging: 10W max

Packaging

	Weight (g)	250
	Dimensions L x W x H (cm)	11 x 21.5 x 2.2
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	40.3 x 14 x 13.5
Outer Carton	Packs / Carton	48
	Net Weight (kg)	12.6
	Gross Weight (kg)	13.6
	Dimensions L x W x H (cm)	41.5 x 30.3 x 29.9
	Volume (cbm)	0.0375

> Wireless Chargers

Camelion Wireless Chargers offer you a convenient, efficient and reliable power source for your mobile devices. Our chargers are compliant with the Qi wireless charging standard and international safety standards, ensuring support for nearly all wirelessly chargeable devices.

WLC-007



WLC-007-HCB



Main Features

- Charges through protective case
- 10W fast charging
- Supports QC2.0/3.0 Quick Charge
- LED indicator for charging status
- Over-voltage, under-voltage, over-current, short-circuit protection and foreign object detection

Specifications

Input: DC 5V $\equiv$ 2A / 9V $\equiv$ 1.67A

Output: 10W Max

Charging Efficiency: Up to 75%

Wireless Charging Distance: Up to 6mm

Operating Temperature: 0°C to 40°C

Packaging

	Weight (g)	135
	Dimensions L x W x H (cm)	11 x 17.5 x 2
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	35.8 x 14 x 12.8
Outer Carton	Packs / Carton	48
	Net Weight (kg)	6.48
	Gross Weight (kg)	7.25
	Dimensions L x W x H (cm)	37.5 x 29.5 x 27.5
	Volume (cbm)	0.0304

> Mobile Power with Fan

This Camelion mobile power with mini fan is not only an ultra light weight mobile power but also a portable two speed fan. The ergonomic design of the mobile power also ensures a comfortable hold in your hands, making it a great device to have during summer time.

PSF38



PSF38-HCB

Main Features

- Compatible with most mobile devices
- Built in fan with 2 speeds
- Ultra lightweight
- LED power indicator
- Overcharge, over-discharge, over-current and short-circuit protection

Specifications

Battery: 3800mAh 3.7V Lithium-polymer

Input: 5V --- 1A

Output: USB 5V --- 1A

Fan Speed	Low: 3100RPM / High: 3900RPM
Fan Run Time	10 hours / 7 hours

Packaging

	Weight (g)	170
	Dimensions L x W x H (cm)	11 x 21.5 x 2.5
Inner Carton	Packs / Inner carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	40 x 17.5 x 12.5
Outer Carton	Packs / Carton	48
	Net Weight (kg)	8.09
	Gross Weight (kg)	9.13
	Dimensions L x W x H (cm)	41.5 x 37 x 27
	Volume (cbm)	0.0414

> Wall Chargers

Camelion Wall Chargers offer fast, reliable and efficient charging at home, the office, and while you travel. They come in different sizes and work with universal voltage. Providing you with a convenient solution to charge your mobile devices wherever you go.

AD581



AD581-HCB



Main Features

- Compatible with most tablets and Smart phones
- Over current and short circuit protections

Specifications

Input: 100-240V ~ 50/60Hz 0.5A
Output: 5V $\overline{\text{---}}$ 1A

Packaging

Blister	Plug:	TUV
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.7
Inner Carton	Packs / Inner carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	36 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.4
	Gross Weight (kg)	4.3
	Dimensions L x W x H (cm)	37.7 x 32.5 x 21
	Volume (cbm)	0.0257

AD582



AD582-HCB



Main Features

- Compatible with most tablets and smartphones
- Dual USB port to charge two devices at the same time
- Over-current and short-circuit protection

Specifications

Input: 100-240V ~ 50/60Hz 0.5A Max
Output: 5V $\overline{\text{---}}$ 2.4A (Max Total)
 5V $\overline{\text{---}}$ 2.4A (Each USB)

Packaging

Blister	Plug:	TUV
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.7
Inner Carton	Packs / Inner carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	36 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.4
	Gross Weight (kg)	4.3
	Dimensions L x W x H (cm)	37.7 x 32.5 x 21
	Volume (cbm)	0.0257

AD585



AD585-HCB



Main Features

- Compatible with most tablets and smartphones
- Three USB ports to charge 3 devices at the same time
- Over current and short circuit protections

Specifications

Input: 100-240V ~ 50/60Hz 600mA Max

Output: 5V $\overline{\text{---}}$ 3.4A (Max total)

5V $\overline{\text{---}}$ 2.4A (Each USB)

Packaging

Blister	Plug:	TUV
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.9
Inner Carton	Packs / Inner carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.84
	Gross Weight (kg)	4.46
	Dimensions L x W x H (cm)	39.5 x 32.5 x 20.5
	Volume (cbm)	0.0263

AD585C



AD585C-HCB



Main Features

- Compact
- Three output ports
- Type-C output
- Short-circuit Protection
- Over-current Protection

Specifications

Input: 100-240V ~ 50/60Hz 600mA Max

Output: 5V $\overline{\text{---}}$ 3.4A(Max total)

5V $\overline{\text{---}}$ 2.4A(Each USB A)

5V $\overline{\text{---}}$ 3.0A(Type-C)

Packaging

Blister	Plug:	TUV
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.9
Inner Carton	Packs / Inner carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.84
	Gross Weight (kg)	4.46
	Dimensions L x W x H (cm)	39.5 x 32.5 x 20.5
	Volume (cbm)	0.0263

AD583



AD583-HCB



Main Features

- Quick Charge 3.0
- Dual USB output
- Short-circuit and over-current protection

Specifications

Input: 100-240V ~ 50/60Hz 600mA Max

Output: 30W(Max total)

USB 1: 5V --- 3A, 9V --- 2A, 12V --- 1.5A, QC3.0

USB 2: 5V --- 2.4A

Packaging

Blister	Plug:	TUV
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 3
Inner Carton	Packs / Inner carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	39 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	4.8
	Gross Weight (kg)	5.42
	Dimensions L x W x H (cm)	40.5 x 32.5 x 20.5
	Volume (cbm)	0.0269

AD594



AD594-HCB



Main Features

- Compatible with most tablets and smartphones
- Type-C port for PD Quick Charge
- Over-current and short-circuit protection

Specifications

Input: 100-240V ~ 50/60Hz 0.5A

Output: 5V --- 3A

9V --- 2A

12V --- 1.5A

Packaging

Blister	Plug:	TUV
	Weight (g)	84
	Dimensions L x W x H (cm)	8 x 15 x 2.9
Inner Carton	Packs / Inner carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	4.03
	Gross Weight (kg)	4.65
	Dimensions L x W x H (cm)	39.5 x 32.5 x 20.5
	Volume (cbm)	0.0263

> Car Chargers

Camelion USB Car Chargers are some of the best-sized and easiest-to-use car chargers on the market today, providing power for your mobile devices whenever you're on the road.

DD802



DD802-DB

Main Features

- Powered from cigarette lighter plug
- Compatible with most vehicles
- Compatible with most mobile devices
- Short-circuit and overheating protection

Specifications

Input: 12 - 24V $\equiv$ 0.8A Max

Output: 5V $\equiv$ 1A

Packaging

Blister	Weight (g)	56.3
	Dimensions L x W x H (cm)	11.2 x 18.4 x 5.7
Inner Carton	Packs / Inner carton	24
	Dimensions L x W x H (cm)	23.1 x 19.1 x 12.4
Outer Carton	Packs / Carton	48
	Net Weight (kg)	2.7
	Gross Weight (kg)	3.9
	Dimensions L x W x H (cm)	39.6 x 24.5 x 40
	Volume (cbm)	0.0388

DD811



DD811-DB

Main Features

- Powered from cigarette lighter plug
- Compatible with most vehicles
- Compatible with most mobile devices
- 2.1A USB port allows fast charging
- Short-circuit and overheating protection

Specifications

Input: 12 - 24V $\equiv$ 1.3A Max

Output: 5V $\equiv$ 2.1A

Packaging

Blister	Weight (g)	52
	Dimensions L x W x H (cm)	10.7 x 17.1 x 5.5
Inner Carton	Packs / Inner carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	1.9
	Gross Weight (kg)	2.9
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38.0
	Volume (cbm)	0.0388

DD823A



DD823A-DB

Main Features

- Compatible with most mobile devices
- Dual USB ports to charge two devices simultaneously

Specifications

Input: 12V - 24V $\equiv$ 1.3A Max

Output: 5V $\equiv$ 2.4A(Max total)
5V $\equiv$ 2.4A(Each USB)

Packaging

Blister	Weight (g)	66
	Dimensions L x W x H (cm)	10.7x 17.1 x 3.5
Inner Carton	Packs / Inner carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.2
	Gross Weight (kg)	4
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38
	Volume (cbm)	0.0451

DD812



DD812-DB

Main Features

- Dual UBS ports to charge two devices simultaneously
- Over-current and short-circuit protection
- 3.4A USB port allows fast charging
- Compatible with tablets, smartphones and other mobile devices

Specifications

Input: 12V - 24V $\equiv$ 2A Max

Output: 5V $\equiv$ 3.4A (2.4A + 1A)

Packaging

Blister	Weight (g)	66
	Dimensions L x W x H (cm)	13.3 x 22 x 6.9
Inner Carton	Packs / Inner carton	18
	Dimensions L x W x H (cm)	41.5 x 30 x 23.5
Outer Carton	Packs / Carton	36
	Net Weight (kg)	2.4
	Gross Weight (kg)	3.9
	Dimensions L x W x H (cm)	48.5 x 31.5 x 43.5
	Volume (cbm)	0.0665

DD822C



DD822C-DB

Main Features

- 4.8A USB port allows fast charging.
- Dual USB ports to charge two devices simultaneously
- Compatible with tablets, smartphones and other mobile devices
- Over-current and short-circuit protection

Specifications

Input: 12V - 24V --- 3A Max
Output: 5V --- 4.8A (Max total)
 5V --- 2.4A (Each USB)

Packaging

Blister	Weight (g)	28
	Dimensions L x W x H (cm)	10.7x 17.1 x 3.5
Inner Carton	Packs / Inner carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	1.91
	Gross Weight (kg)	2.53
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38
	Volume (cbm)	0.0451

DD822F



Main Features

- Quick charge output with QC3.0 or PD3.0
- Dual-USB port enable to charge 2 devices at the same time
- Power for tablet, smart phone and other mobile devices
- Over Current and short circuit protection

Specifications

Input: 12V - 24V --- 3A Max
Output: 24W max
 USB A: 5V --- 3A, 9V --- 2A, 12V --- 1.5A QC3.0
 Type-C: 5V --- 3A, 9V --- 2A, 12V --- 2A PD 3.0
 USB A + Type-C : 5V --- 3A

Packaging

Blister	Weight (g)	28
	Dimensions L x W x H (cm)	10.7x 17.1 x 3.5
Inner Carton	Packs / Inner carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	1.91
	Gross Weight (kg)	2.53
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38
	Volume (cbm)	0.0451

> USB Cables

Camelion USB Cables are safe and durable. These cables can withstand bending, can be plugged/unplugged up to 3000 times, and are compatible with 2.4A fast chargers, making them the perfect choice to charge your devices.

CDC011



Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

CDC021



Main Features

- Supports Data Transmission
- Durable PVC cable
- Over 3000 plug in & unplug cycle
- 1 meter length

CDC013



Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

CDC023



Main Features

- Supports Data Transmission
- Durable PVC cable
- Over 3000 plug in & unplug cycle
- 1 meter length

CDC019



Main Features

- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles
- 1 meter length

CDC020



Main Features

- Sync data
- Durable Nylon cable
- Over 3000 plug in & unplug cycles
- 1 meter length


CDC015



Main Features

- Durable nylon cable
- Over 3000 plug in & unplug cycles
- Temperature resistant
- 1 meter length

CDC016



Main Features

- Micro USB + 8 pin Lightning + Type C
- Durable Nylon cable
- Over 3000 plug in & unplug cycles
- Compatible with 2.4A fast chargers
- 1 meter length

Packaging



Model	CDC011 \ CDC021 \ CDC013 \ CDC015 \ CDC016 \ CDC023 \ CDC019 \ CDC020	
Cable	Length(cm)	100
Blister	Weight (g)	42
	Dimensions L x W x H (cm)	17.3 x 9.2 x 2.1
Inner Carton	Packs / Inner carton	12
	Dimensions L x W x H (cm)	27.6 x 9.9 x 18.8
Outer Carton	Packs / Carton	96
	Net Weight (kg)	3.9
	Gross Weight (kg)	5.3
	Dimensions L x W x H (cm)	42.0 x 29.0 x 40.0
	Volume (cbm)	0.0487

> Car Charger + USB Cable

The Camelion Car Charger + USB Cable combination pack is an economical solution for your mobile power needs. The car charger provides stable output, and the cable provides a safe connection and fast charging. Together, the Camelion Car Charger and USB cable will meet your varying needs when traveling.



	Car Charger	USB Cable
Combination	DD802, DD811, DD812, DD822C, DD822F, DD823A	CDC012, CDC013, CDC015, CDC016

Box	Weight (g)	85*
	Dimensions L x W x H (cm)	8.5 x 16.7 x 3
Inner Carton	Packs / Inner carton	12
	Dimensions L x W x H (cm)	19.5 x 18.0 x 20.5
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.2*
	Gross Weight (kg)	4.7*
	Dimensions L x W x H (cm)	41.0 x 38.0 x 22.5
	Volume (cbm)	0.0351

*Different product combination will result in different gross weight